

Positioning Devices

COMPANY

ADVANCED CABLE TIES INC

245 SUFFOLK LN

GARDNER, MA 01440-1761 United States

E168851

View model for additional information

Cable Tie (Nonmetallic), Model(s): AP(R,L)-04-18-0, AP(R,L)-04-18-30, AP(R,L)-04-18-39, AP(R,L)-05-40-0, AP(R,L)-05-40-30, AP(R,L)-05-40-39, AP(R,L)-06-18-0, AP(R,L)-06-18-30, AP(R,L)-07-50-0, AP(R,L)-07-50-30, AP(R,L)-07-50-32, AP(R,L)-07-50-39, AP(R,L)-07-50-RL-0, AP(R,L)-07-50-RL-30, AP(R,L)-07-50-RL-32, AP(R,L)-08-120-0, AP(R,L)-08-120-30, AP(R,L)-08-120-32, AP(R,L)-08-18-0, AP(R,L)-08-18-30, AP(R,L)-08-40-0, AP(R,L)-08-40-30, AP(R,L)-08-40-39, AP(R,L)-11-40-0, AP(R,L)-11-40-30, AP(R,L)-11-50-0, AP(R,L)-11-50-30, AP(R,L)-11-50-32, AP(R,L)-11-50-39, AP(R,L)-11-50-RL-0, AP(R,L)-11-50-RL-30, AP(R,L)-11-50-RL-32, AP(R,L)-14-120-0, AP(R,L)-14-120-30, AP(R,L)-14-120-32, AP(R,L)-14-120-39, AP(R,L)-14-40-0, AP(R,L)-14-40-30, AP(R,L)-14-50-0, AP(R,L)-14-50-30, AP(R,L)-14-50-32, AP(R,L)-14-50-39, AP(R,L)-14-50-RL-0, AP(R,L)-14-50-RL-30, AP(R,L)-14-50-RL-32, AP(R,L)-18-120-0, AP(R,L)-18-120-30, AP(R,L)-18-120-32, AP(R,L)-24-120-0, AP(R,L)-24-120-30, AP(R,L)-24-120-32, AP(R,L)-24-175-0, AP(R,L)-30-120-0, AP(R,L)-30-120-30, AP(R,L)-30-120-32, AP(R,L)-33-175-0, AP(R,L)-36-120-0, AP(R,L)-36-120-30, AP(R,L)-36-120-32, AP(R,L)-36-175-0, AP(R,L)-48-175-0

Cable Tie (Nonmetallic), Model(s): AP(R,L)-04-18-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-04-18-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-05-40-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-05-40-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-06-18-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-07-50-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-07-50-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-07-50-RL-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-07-50-RL-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-08-120-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-08-18-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-08-40-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-08-40-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-11-40-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-11-50-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-11-50-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-11-50-RL-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-11-50-RL-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-14-120-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-14-120-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-14-40-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-14-50-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-14-50-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-14-50-RL-(##) (##) - Where ## may be replace with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-14-50-RL-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-18-120-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-24-120-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-24-175-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-30-120-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-33-175-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-36-120-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-36-175-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Cable Tie (Nonmetallic), Model(s): AP(R,L)-48-175-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Fixing Device (Screw Mount), Model(s): AP(R,L)-SM0-0, AP(R,L)-SM0-30, AP(R,L)-SM1-0, AP(R,L)-SM1-30, AP(R,L)-SM2-0, AP(R,L)-SM2-30, AP(R,L)-SM3-0, AP(R,L)-SM3-30, AP(R,L)-SM8-0, AP(R,L)-SM8-30

Fixing Device (Screw Mount), Model(s): AP(R,L)-SM0-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Fixing Device (Screw Mount), Model(s): AP(R,L)-SM1-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Fixing Device (Screw Mount), Model(s): AP(R,L)-SM2-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Fixing Device (Screw Mount), Model(s): AP(R,L)-SM3-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Fixing Device (Screw Mount), Model(s): AP(R,L)-SM8-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Integral Assembly (Screw Mount), Model(s): AP(R,L)-12-50-MH-#, AP(R,L)-07-50-MH-0, AP(R,L)-07-50-MH-30, AP(R,L)-08-50-MH-#, AP(R,L)-08-50-MH-0, AP(R,L)-08-50-MH-30, AP(R,L)-11-50-MH-0, AP(R,L)-11-50-MH-30, AP(R,L)-12-50-MH-0, AP(R,L)-12-50-MH-30, AP(R,L)-14-50-MH-0, AP(R,L)-14-50-MH-30, AP(R,L)-15-120-MH-#, AP(R,L)-15-120-MH-0, AP(R,L)-15-120-MH-30, AP(R,L)-15-50-MH-#, AP(R,L)-15-50-MH-0, AP(R,L)-15-50-MH-30

Integral Assembly (Screw Mount), Model(s): AP(R,L)-07-50-MH-(##) (##) - Where ## may be replaced with 1-29, 33-38, 42-48, 71-78 denoting UV color.

Integral Assembly (Screw Mount), Model(s): AP(R,L)-07-50-MH-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Integral Assembly (Screw Mount), Model(s): AP(R,L)-11-50-MH-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Integral Assembly (Screw Mount), Model(s): AP(R,L)-14-50-MH-(#) (#) - Where # may be replaced with 1-29, 33-38, 42-48, 71-78 denoting color.

Last Updated on 2025-03-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."